

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 7272-0569:0102
CATEGORY: 7272 -- SMOKE DETECTOR-SYSTEM TYPE-PHOTOELECTRIC

Page 1 of 1

LISTEE: Gentex Corporation 10985 Chicago Drive, Zeeland, MI 49464
Contact: Keiffer Sestric (616) 392-7195 Fax (616) 392-4219
Email: keiffer.sestric@gentex.com

DESIGN: Models 6040, 6041 photoelectric type smoke detectors. Models 810, 812, 820, 824, 8100, 8103, 8120, 8123, 8200, 8240 and 8243 photoelectric type smoke detectors with or without suffix -P, -T, -H, -S, -CS, -SX and -Y. Unit may employ integral heat sensor or audible devices. These heat sensors and audible devices are intended for use as supplemental devices to assist the smoke detectors. All units have auxiliary relay contacts making them suitable for releasing device service. Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: 812, 8120, 8123, 6040, 6041: 12 VDC
824, 8240, 8243: 24 VDC
810, 8100, 8103: 120 VAC
820, 8200: 220 VAC

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as photoelectric smoke detectors for use with separately listed compatible fire alarm control units.

NOTE: 1. Formerly 7257-0569:102
2. Combined Listing 7272-0569:100, 101 & 102

*Rev. 12-09-2003



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2015**

Listing Expires **June 30, 2016**

Authorized By: **JAMES PARSEGIAN, Program Coordinator**
Fire Engineering Division